

LEDinspect MINI 125

LED inspection lights for privat use





Main light with 125 lumen and torch light with 90 lumen



Equipped with 24+3 high-quality, longlasting LEDs More light output



Batteries included

Three AAA batteries are included in the scope of supply



The most compact inspection light

LEDinspect MINI 125 features an especially compact design. This LED inspection luminaire can be simply and flexibly mounted thanks to its small size and integrated hook and magnetic mount. The portable lamp thus emits light precisely where it's needed. The durable LEDs in this handy workshop lamp provide high a light intensity of up to 2,000 lux at a distance of 0.5 meter. An easy-grip, dirt-resistant surface also facilitates precise work. OSRAM provides a 2 year guarantee for this inspection luminaire.

Technical data

Product information

Order reference	LEDIL202
Application (Category and Product specific)	LED inspection lights for personal use


Electrical data

Nominal wattage	1.6 W
Nominal voltage	4.5 V

Photometrical data

Color temperature	8000 К
Luminous flux	125 lm
Light color LED	White

Dimensions & weight



Product weight	137.00 g
Length	220.0 mm
Width	46.0 mm
Height	51.0 mm

Colors & materials

Base color	Black

Lifespan

Guarantee	3 years

Additional product data

Type of Battery	dry battery

Number of included batteries	3XAAA	
Scope of battery	Yes	
Battery	dry battery	
Capabilities		
Technology	LED	
Certificates & standards		
Type of protection	IP44	
Standards	CE	

Country specific categorizations

Order reference	LEDIL202
-----------------	----------

Equipment / Accessories

- Three AAA batteries included

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899009578	LEDinspect MINI 125	Blister 1	125 mm x 48 mm x 181 mm	1.09 dm³	165.00 g
4052899009585	LEDinspect MINI 125	Shipping carton box 24	435 mm x 205 mm x 215 mm	19.17 dm³	4246.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
D	Movie application Image Film LEDinspect (EN)
D	Movie application Image Film LEDinspect Family (EN)

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

