Product datasheet

OSRAM LEDriving ERROR CANCELER LEDEC01




Error-free

Bypasses the vehicle's outage detection



3 years OSRAM guarantee 1), refer to www.osram.comamguarantee for precise conditions For more customer satisfaction



The LEDriving ERROR CANCELER is an optimized accessory product for OSRAM's LED replacement lamps. It was developed for an universal usage in high beam application.In addition, it serves as a bypass of a vehicle's lamp failure detection system when using a H7-LED retrofit lamp. The control unit offers an easy installation due to compact design. One additional feature is the flickering-free in the vehicle's headlamp. OSRAM provides a 3 year guarantee1) for this product.Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories -LEDriving ADAPTER, LEDriving SMART CANBUS, LEDriving ERROR CANCELER and LEDriving CAP (where required) - is permitted.Optional use of canbus control units in the event of an error message on the on-board computer is recommended, depending on the vehicle equipment.

Product datasheet


Technical data

Product information

Order reference	LEDEC01	
Application (Category and Product specific)	Accessories for LED retrofits	

Electrical data

Dimensions & weight



Product weight	23.94 g
Length	241 mm

Lifespan

Lifespan B3	2500 h
Lifespan Tc	2500 h

Capabilities

Technology	LED accessories

Country specific categorizations

Order reference	LEDEC01

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	11-08-2023		
Primary Article Identifier	4062172293945		
Declaration No. in SCIP database	In work		

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172293945	LEDriving Canbus Control	Folding carton box 2	82 mm x 47 mm x 152 mm	0.59 dm³	82.00 g
4062172293952	LEDriving Canbus Control	Shipping carton box 4	100 mm x 100 mm x 161 mm	1.61 dm³	229.00 g
4062172293969	LEDriving Canbus Control	Shipping carton box 32	224 mm x 224 mm x 358 mm	17.96 dm³	2285.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data



Legal advice

For high beam application

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.

1) Product replacement for product fault whenused in non-commercial applications

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

