OSRAM

ORIGINAL - FESTOON

Original spare part





The cost-effective original spare parts

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for a wide range of festoon lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Technical data

Product information

Order reference	6411	
Application (Category and Product specific)	Auxiliary lamp	

Electrical data


Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10.00 W
Test voltage	13.5 V
Power input tolerance	±10 %


Photometrical data

Luminous flux	100 lm ¹⁾
Luminous flux tolerance	±30 %

¹⁾ Minimum

Dimensions & weight





Diameter	11.0 mm	
Product weight	3.10 g	
Length	41.0 mm	

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	SV8.5-8

Capabilities

Technology	AUX
Country specific categorizations	

Country specific information

Product code	METEL code	SEG number	STK-Number	UK Org
4050300891354	OSRA6411	8328168	-	-
4050300891361	OSRA6411	8328168	-	-
4050300891354	OSRA6411	8328168	-	-
4050300925646	OSRA6411BLI2	-	-	-
4050300925646	OSRA6411BLI2	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891354	ORIGINAL FESTOON 6411	Unpacked 1	43 mm x 10 mm x 10 mm	0.00 dm³	5.50 g
4050300891361	ORIGINAL FESTOON 6411	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	53.00 g
4008321093745	ORIGINAL FESTOON 6411	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	315.00 g
4050300925646	ORIGINAL FESTOON 6411	Blister 2	95 mm x 70 mm x 16 mm	0.11 dm³	11.20 g
4008321140456	ORIGINAL FESTOON 6411	Shipping carton box 20	137 mm x 106 mm x 103 mm	1.50 dm³	149.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











