

Shapes by Bailey lights



Bailey Nr.	Description	#
141870	Chianti E27 4W 2200K Gold	1
141871	Bourbon E27 4W 2200K Gold	2
141872	Bourbon E27 4W 2200K Black	
141873	Pinot E27 4W 2200K Gold	3
141874	Pinot E27 4W 2200K Black	
141875	Art-Deco E27 4W 2200K Gold	4
141876	Art-Deco E27 4W 2200K Black	
141877	Magnum E27 4W 2200K Gold	5

Brand	Model	Load (LED)	Type	Chianti		Bourbon		Pinot		Art-Deco		Magnum	
				4W	2-5	4W	2-5	4W	2-5	4W	2-5	4W	2-5
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1	2-5	1	2-5	1	2-5	1	2-5	1	2-5
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-5		1-5		1-5		1-5		1-5	
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-5		1-5		1-5		1-5		1-5	
Gira	238500	3-100W	R,L,C - Touch	1	2-5	1	2-5	1	2-5	1	2-5	1	2-5
Gira	245500	3-200W	Uni. Led - Turn	1-5		1-5		1-5		1-5		1-5	
Honeywell Peha	00260623	6-60W	R,L - Turn	1	2-5	1	2-5	1	2-5	1	2-5	1	2-5
Jung	1224LEUDE	3-100W	R,L,C - Touch	1	2-5	1	2-5	1	2-5	1	2-5	1	2-5
Jung	1730DD	3-60W	R,L,C - Turn	1-5		1-5		1-5		1-5		1-5	
Jung	225NVDE	3-100W	R,L - Turn							2-5		2-5	
Klemko	891042	1-200W	R,C - Turn	1-5		1-5		1-5		1-5		1-5	
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5		1-5		1-5		1-5		1-5	
Tradim	2485H	3-70W	R,C - Turn	1-5		1-5		1-5		1-5		1-5	
Tradim	2490HP	5-70W	R,C - Turn	1	2-5	1	2-5	1	2-5	1	2-5	1	2-5
Tradim	2494	2 x 3-50W	R,C - Turn (duo)	1	2-5	1	2-5	1	2-5	1	2-5	1	2-5
Tradim	63103X-1	1x27W	Floor	1-5		1-5		1-5		1-5		1-5	
Yokis	MTV500E	5-250W	Module	1-5		1-5		1-5		1-5		1-5	
Yokis	MTV500M	5-250W	DIN rail	1-5		1-5		1-5		1-5		1-5	



Bailey Nr.	Description	#
142440	Teapot Earl Clear E27 4W 2200K	1
142441	Teapot Earl Gold E27 4W 2200K	
142442	Teapot Earl Milky E27 4W 2200K	2
142443	Teapot Chai Clear E27 4W 2200K	
142444	Teapot Chai Gold E27 4W 2200K	
142445	Teapot Chai Milky E27 4W 2200K	

Brand	Model	Load (LED)	Type	Earl		Chai	
				4W	3-5	4W	3-5
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-2	3-5	1-2	3-5
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-5		1-5	
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-5		1-5	
Gira	238500	3-100W	R,L,C - Touch	1	2-5	1	2-5
Gira	245500	3-200W	Uni. Led - Turn	1-5		1-5	
Honeywell Peha	00260623	6-60W	R,L - Turn	1	2-5	1	2-5
Jung	1224LEUDE	3-100W	R,L,C - Touch	1	2-5	1	2-5
Jung	1730DD	3-60W	R,L,C - Turn	1-5		1-5	
Klemko	891042	1-200W	R,C - Turn	1	2-5	1	2-5
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5		1-5	
Tradim	2485H	3-70W	R,C - Turn	1-5		1-5	
Tradim	2490HP	5-70W	R,C - Turn	1	2-5	1	2-5
Tradim	2494	2 x 3-50W	R,C - Turn (duo)	1-5		1-5	
Tradim	63103X-1	1x27W	Floor	1-5		1-5	
Yokis	MTV500E	5-250W	Module	1-5		1-5	
Yokis	MTV500M	5-250W	DIN rail	1-5		1-5	

	Good compatibility (no flicker, no noise) and can reach low dim levels ($\leq 20\%$)
	Good compatibility in combination with dim stabilizer or compensator.
	Limited dimming range but stable behavior. * only in combination with dim stabilizer.
	Not compatible, possible flicker, noise and/or unstable behavior.
	Lamps not tested with dimmer.

General Notes	Possible light flickering may occur on low lightlevels. Dimming behaviour can be improved by using a dim stabilizer or compensator. Without this the lamp may have a limited dimming range or will be unstable.
**	Dimmer is discontinued (no longer available).
1-7	Minimum and maximum number of lamps this dimmer can control.

Big Family




Bailey Nr.	Description	#
80100038766	Big Papi E27 240V 3W 2200K Gold	1
80100039415	Big Mami E27 240V 3W 2200K Gold	
80100039416	Big Johnny E27 240V 3W 2200K Gold	2
80100040746	Big Benny E27 240V 3W 2200K Gold	
80100040744	Big Baby E27 240V 3W 2200K Gold	3
80100040745	Big Jenny E27 240V 4W 2200K Gold	4
80100041302	Big Billy E27 240V 6W 2200K Gold	5



Brand	Model	Load (LED)	Type	3W	3W	3W	4W	6W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn					1-3
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-5	1-2 3-5	1-2 3-5	1-2 3-5	1 2-5
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-7	1-7	1-5	1-5	1-5
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-7	1-7	1-5	1-5	1-5
Gira	226200**	3-100W	R,L - Turn					
Gira	238500	3-100W	R,L,C - Touch	1-2	1-2	1 2-5	1-5	1 2-5
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1 2-5	1-5	1-5
Honeywell Peha	00260623	6-60W	R,L - Turn	1 2-5	1 2-5	1 2-5	1 2-5	1 2-5
Jung	1224LEUDE	3-100W	R,L,C - Touch	1-5	1 2-5	1 2-5	1 2-5	1 2-5
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	1-5	1-5
Jung	225NVDE	3-100W	R,L - Turn					
Klemko	891042	1-200W	R,C - Turn	1 2-5	1 2-5	1 2-5	1-5	1-5
KlikAanKlikUit	ACC-250-LD	3-50W	Socket - Wireless		1			
KlikAanKlikUit	AWMD-250	3-24W	Module - Wireless					
KlikAanKlikUit	ACM-250-LD	3-50W	Wireless		1			
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-7	1-7	1-5	1-5	1-5
Tradim	2485H	3-70W	R,C - Turn	1-5	1-5	1-5	1-5	1-5
Tradim	2490HP	5-70W	R,C - Turn	1-7	1-7	1 2-5	1 2-5	1 2-5
Tradim	2494	2 x 3-50W	R,C - Turn (duo)					
Tradim	63103X-1	1x27W	Floor	1-7	1-7	1-5	1-5	1-5
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5	1-5



Bailey Nr.	Description	#
142080	Big Joey E27 240V 3W 2200K Gold	1
142081	Big Joey E27 240V 3W 2200K Black	
142082	Big Papi E27 240V 5W 2200K Black	2
142083	Big Amy E27 240V 3W 2200K Gold	3
142084	Big Ruby E27 240V 3W 2200K Gold	4
142210	Big Drop E27 240V 5W 2200K Gold	5



Brand	Model	Load (LED)	Type	3W	5W	3W	3W	5W
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1 2-5	1 2-5	1-2 3-5		
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-5	1-5	1-5	1-5	1-5
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-5	1-5	1-5	1-5	1-5
Gira	238500	3-100W	R,L,C - Touch	1 2-5	1-5	1-5	1 2-5	1-5
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5	1-5	1-5
Honeywell Peha	00260623	6-60W	R,L - Turn	1 2-5	1 2-5	1 2-5	1-5	1-5
Jung	1224LEUDE	3-100W	R,L,C - Touch	1 2-5	1-5	1 2-5	1-5	1-5
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	1-5	1-5
Klemko	891042	1-200W	R,C - Turn	1-5	1-5	1-5	1-5	
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5	1-5	1-5	1-5	1-5
Tradim	2485H	3-70W	R,C - Turn	1-5	1-5	1-5	1-5	1-5
Tradim	2490HP	5-70W	R,C - Turn	1-5	1 2-5	1-5	1 2-5	1 2-5
Tradim	2494	2 x 3-50W	R,C - Turn (duo)					1-5
Tradim	63103X-1	1x27W	Floor	1-5	1-5	1-5	1-5	1-5
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5	1-5







	Good compatibility (no flicker, no noise) and can reach low dim levels ($\leq 20\%$)
	Good compatibility in combination with dim stabilizer or compensator.
	Limited dimming range but stable behavior. * only in combination with dim stabilizer.
	Not compatible, possible flicker, noise and/or unstable behavior.
	Lamps not tested with dimmer.

General Notes	Possible light flickering may occur on low light levels.
	Dimming behaviour can be improved by using a dim stabilizer or compensator. Without this the lamp may have a limited dimming range or will be unstable.
**	Dimmer is discontinued (no longer available).
1-7	Minimum and maximum number of lamps this dimmer can control.

Spiraled



Bailey Nr.	Description	#
80100038462	Thomas A60 E27 4W 2200K Helder	1
80100039071	Thomas A60 E27 4W 2200K Gold	
80100038459	Estelle C35 E14 2.7W 2200K Clear	2
80100039070	Estelle C35 E14 2.7W 2200K Gold	
80100038998	Mary C35 Cosy E14 2.7W 2200K Clear	
80100038463	Marion T45 E27 4W 2200K Clear	3
80100038654	Alva ST64 E27 4W 2200K Clear	
80100039073	Alva ST64 E27 4W 2200K Gold	
80100040208	William G95 E27 4W 2200K Clear	4
80100039967	William G95 E27 4W 2200K Gold	
80100038655	Leslie G125 E27 4W 2200K Clear	
80100039074	Leslie G125 E27 4W 2200K Gold	
80100039076	Leslie G125 E27 4W 2200K Metal	5
80100039427	Madeleine L84 E27 4W 2200K Gold	
80100039428	Charles A90 E27 6W 2200K Gold	6
80100039429	Theo R125 E27 6W 2200K Gold	

				A60		C35		T45 / ST64		Globe	L84	A90 / R125
												
				1	2	3	4	5	6			
Brand	Model	Load (LED)	Type	4W	2.7W	4W	4W	4W	6W			
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-5	1-2	3-5	1-5	1-5	1-5	1-5	1-5	
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn	1-7	1-7	1-7	1-7	1-7	1-7	1-7	1-3	
Busch-Jaeger	6526U	2-100W	R,L,C - Touch	1-7	1-7	1-7	1-7	1-7	1-7	1-7	1-7	
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-7	1-7	1-7	1-7	1-7	1-7	1-7	1-5	
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-7	1-7	1-7	1-7	1-7	1-7	1-7	1-5	
Gira	226200**	3-100W	R,L - Turn									
Gira	238500	3-100W	R,L,C - Touch	1-2	1-2	1-2	1-2	1-2	1-2	1-2	1-2	
Gira	239000**	3-100W	R - Touch	1-7	1-7	1-7	1-7	1-7	1-7	1-7	1-7	
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5	1-5	1-5	1-5	1-5	1-5	
Honeywell Peha	00260623	6-60W	R,L - Turn	1-5*	1-5	1-5*	1-5*	1-5*	1-5*	1-5*	1-5*	
Jung	1224LEDUDE	3-100W	R,L,C - Touch	1-5	1	2-5	1-5	1-5	1-5	1	2-5	
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	1-5	1-5	1-5	1-5	1-5	
Jung	225NVDE	3-100W	R,L - Turn	1-5*	1	2-5	1-5*	1-5*	1-5*	1-5*	1-5*	
Klemko	890300	1-100W	C - Module	1-3		1-3	1-3	1-3	1-3	1-3	1-3	
Klemko	891042	1-200W	R,C - Turn	1-3*	1-3*	1-3*	1-3*	1-3*	1-3*	1-3*	1-3*	
KlikAanKlikUit	ACC-250-LD	3-50W	Socket - Wireless	1		1	1	1	1	1	1	
KlikAanKlikUit	AWMD-250	3-24W	Module - Wireless									
KlikAanKlikUit	ACM-250-LD	3-50W	Wireless	1		1	1	1	1	1	1	
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-7	1-7	1-7	1-7	1-7	1-7	1-7	1-3	
Niko	310-02800	2-100W	R,C - Touch 3-wire	1-10		1-10	1-10	1-10	1-10	1-10	1-10	
Niko	310-02900	3-200W	Touch	1-10		1-10	1-10	1-10	1-10	1-10	1-10	
Niko	310-03900	3-200W	Turn	1-10		1-10	1-10	1-10	1-10	1-10	1-10	
Niko	330-0070X	5-200W	DIN rail	1-10		1-10	1-10	1-10	1-10	1-10	1-10	
Niko	550-0034X	2 x 5-200W	DIN module	1-10		1-10	1-10	1-10	1-10	1-10	1-10	
Tradim	2485H	3-70W	R,C - Turn	1-2	1-3	1-2	1-2	1-2	1-2	1-2	1-6	
Tradim	2490HP	5-70W	R,C - Turn	1-7	1-10	1-7	1-7	1-7	1-7	1-7	1-6	
Tradim	2494	2 x 3-50W	R,C - Turn (duo)	1-7	1-10	1-7	1-7	1-7	1-7	1-7	1-6	
Tradim	6220X	1x19W	Cord		1-5							
Tradim	63103X-1	1x27W	Floor	1-7	1-10	1-7	1-7	1-7	1-7	1-7	1	
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5	1-5	1-5	1-5	1-5	
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5	1-5	1-5	1-5	1-5	





	Good compatibility (no flicker, no noise) and can reach low dim levels ($\leq 20\%$)
	Good compatibility in combination with dim stabilizer or compensator.
	Limited dimming range but stable behavior. * only in combination with dim stabilizer.
	Not compatible, possible flicker, noise and/or unstable behavior.
	Lamps not tested with dimmer.

General Notes	Possible light flickering may occur on low lightlevels. Dimming behaviour can be improved by using a dim stabilizer or compensator. Without this the lamp may have a limited dimming range or will be unstable.
**	Dimmer is discontinued (no longer available).
1-7	Minimum and maximum number of lamps this dimmer can control.

LED Filament






Bailey Nr.	Description	#
80100040297	A60 E27 240V 5W 2700K CL	1
80100040298	A60 E27 240V 8W 2700K CL	
80100041650	A60 B22d 240V 8W 2700K CL	
80100041651	A60 E27 240V 8W 2700K FR	
80100036763	A60 E27 240V 6W 2700K TM Silver	2
80100041653	G45 E14 240V 4W 2700K CL	3
80100041654	G45 E14 240V 4W 2700K FR	
80100041655	G45 E27 240V 4W 2700K CL	
80100041656	G45 E27 240V 4W 2700K FR	
80100037279	G45 E14 240V 3W 2700K TM Gold	4
80100039365	G45 E14 240V 3W 2700K TM Silver	
80100041657	C35 E14 240V 4W 2700K CL	5
80100041658	C35 Cosy E14 240V 4W 2700K CL	
80100041659	C35 Cosy E14 240V 4W 2700K FR	

A60	A60 TM	G45	G45 TM	C35
				
1	2	3	4	5

Brand	Model	Load (LED)	Type	5W	8W	6W	4W	3W	4W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn	1-3	1-3	1-3	1-3		1-3
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	2-5		2	3-5	2	3-5
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-5	1-7	1-5	1-5		1-5
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-5	1-7	1-5	1-5	1-7	1-5
Gira	226200**	3-100W	R,L - Turn	1-5					
Gira	238500	3-100W	R,L,C - Touch	1-5	1-5	1	2-5	1	2-5
Gira	239000**	3-100W	R - Touch	1-7		1-7		1-7	
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5	1-5		1-5
Honeywell Peha	00260623	6-60W	R,L - Turn			1	2-5	1	2-5
Jung	1224LEUDE	3-100W	R,L,C - Touch	1-5	1-5	1	2-5	1	2-5
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	1-5		1-5
Jung	225NVDE	3-100W	R,L - Turn						
Klemko	891042	1-200W	R,C - Turn	1-5	1-5	1	2-5	1-5	1-5
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5	1-7	1-5	1-5	1-7	
Tradim	2485H	3-70W	R,C - Turn	1-3	1-3	1-5	1-5	1-5	1-3
Tradim	2490HP	5-70W	R,C - Turn	1-2	1-5	1-5	1	2-5	1-5
Tradim	2494	2 x 3-50W	R,C - Turn (duo)	1-2	1-2	1			
Tradim	6220X	1x19W	Cord	1	1				
Tradim	63103X-1	1x27W	Floor	1-2	1-2	1-5	1-5	1-3	1-5
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5	1-5	1-5



Bailey Nr.	Description	#
142584	G95 E27 240V 4W 2700K CL	1
142586	G95 E27 240V 4W 2700K Opal	
142585	G95 E27 240V 8W 2700K CL	
142587	G95 E27 240V 8W 2700K Opal	
142588	G95 E27 240V 8W 2200K Gold	
142589	G125 E27 240V 4W 2700K CL	2
142590	G125 E27 240V 4W 2700K Opal	
80100041652	G125 E27 240V 8W 2700K CL	
142591	G125 E27 240V 8W 2700K Opal	
142592	G125 E27 240V 8W 2200K Gold	
80100041296	G125 E27 5W 2200K TM Black	3







G95	G125	G125 TM
		
1	2	3

Brand	Model	Load (LED)	Type	4W	8W	4W	8W	5W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn		1-3		1-3	1-3
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	2	3-5	2	3-5	1-2
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-5	1-5	1-5	1-7	1-5
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-5	1-5	1-5	1-7	1-5
Gira	238500	3-100W	R,L,C - Touch	1-5	1-5	1-5	1-5	1
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5	1-5	1-5
Honeywell Peha	00260623	6-60W	R,L - Turn	1-5		1-5		1-5
Jung	1224LEUDE	3-100W	R,L,C - Touch	1-5	1-5	1-5	1-5	1
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	1-5	1-5
Klemko	891042	1-200W	R,C - Turn	1-5	1-5	1-5	1-5	1-3*
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5	1-7	1-5	1-7	1-3
Tradim	2485H	3-70W	R,C - Turn	1-5	1-5	1-5	1-3	1-5
Tradim	2490HP	5-70W	R,C - Turn	1-5	1-5	1-5	1-5	1
Tradim	2494	2 x 3-50W	R,C - Turn (duo)		1-2		1-2	
Tradim	6220X	1x19W	Cord		1		1	
Tradim	63103X-1	1x27W	Floor	1-2	1-2	1-2	1-2	1
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5	1-5

LED Filament



Bailey Nr.	Description	#
80100038381	G9 240V 1.5W 2200K Clear	1
80100038382	G9 240V 1.5W 2600K Clear	
80100038383	G9 240V 2.7W 2200K Clear	
80100038384	G9 240V 2.7W 2600K Clear	
80100035451	T30X300 E27 240V 5W 2200K	2
80100035453	T30X185 E27 240V 5W 2200K	
142194	T18X60 E14 240V 2.5W 2700K CL	3
142195	T18X60 Ba15d 240V 2.5W 2700K CL	
80100035704	Pyramid E27 240V 2W 2200K	4
80100035705	Pyramid E27 240V 3W 2200K	
80100035456	Pyramid E27 240V 5W 2200K	
80100035706	Diamond E27 240V 2W 2200K	5
80100035707	Diamond E27 240V 3W 2200K	
80100039970	DeCone E14 240V 3.5W 2200K Opal	6

				G9		T30		T18		Pyramid			Diamond		DeCone	
																
				1		2		3		4			5		6	
Brand	Model	Load (LED)	Type	1.5W	2.7W	5W	2.5W	2W	3W	5W	2W	3W	3.5W			
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn		2-5		1	2-5					1-5			
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-7	1-7	1-5	1-5		1-7				1-7	1-7		
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-7	1-7	1-5	1-5		1-7				1-7	1-7		
Gira	238500	3-100W	R,L,C - Touch	1-7	1-7		1-5							1-5		
Gira	239000**	3-100W	R - Touch			1-7		1-7	1-7	1-7	1-7	1-7	1-7			
Gira	245500	3-200W	Uni. Led - Turn		2-5	1	2-5		1-5					1-5		
Honeywell Peha	00260623	6-60W	R,L - Turn				1	2-5						1	2-5	
Jung	1224LEUDE	3-100W	R,L,C - Touch			1-5*		1	2-5					1	2-5	
Jung	1730DD	3-60W	R,L,C - Turn		1-5	1-5*	1-5							1-5		
Jung	225NVDE	3-100W	R,L - Turn		1-5*											
Klemko	891042	1-200W	R,C - Turn		2-5	1-2	3-5	1	2-5					1	2-5	
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire		1-5	1-3	1-5		1-7	1-3			1-7	1-5		
Tradim	2485H	3-70W	R,C - Turn	1-6	1-6	1-5	1-5	1-3	1		1-3	1	1-5			
Tradim	2490HP	5-70W	R,C - Turn			1-2	1-5		1-5	1-2			1-5	1-2	3-5	
Tradim	2494	2 x 3-50W	R,C - Turn (duo)		1-6	1-2				1-2						
Tradim	63103X-1	1x27W	Floor		1-5	1-2	1-5	2-3	1-3	1-2	2-3	1-3	1-7			
Yokis	MTV500E	5-250W	Module		1-5	1-5	1-5	1-3			1-3		1-5			
Yokis	MTV500M	5-250W	DIN rail		1-5	1-5	1-5	1-3			1-3			1-5		

Dim-to-Warm







Bailey Nr.	Description	#
80100040403	G45 E14 2.7W 3000-2200K TM Rosé Gold	1
80100040291	C35 E14 240V 4W 3000-2200K	2
80100040292	G45 E27 240V 4W 3000-2200K	
80100040404	A60 E27 4W 3000-2200K TM Rosé Gold	3
80100039080	A60 E27 240V 8W 3000-2200K	4
80100040293	G125 E27 240V 8W 3000-2200K	
80100040294	R80 E27 240V 8W 3000-2200K	
80100040405	G125 E27 8W 3000-2200K TM Rosé Gold	5

Brand	Model	Load (LED)	Type	G45 TM		C35 G45		A60 TM		A60 G125 R80		G125 TM	
				2.7W	4W	4W	8W	8W					
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn		1-5	1-5	1-5	1-5				1-5	
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire		1-5	1-5	1-5	1-7		1-7			
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire		1-5	1-5	1-5	1-7		1-7			
Gira	238500	3-100W	R,L,C - Touch	1	2-5	1-2	3-5	1-2	3-5	1-2		1-2	
Gira	239000**	3-100W	R - Touch										
Gira	245500	3-200W	Uni. Led - Turn	1	2-5		1-5		1-5		1-5		
Honeywell Peha	00260623	6-60W	R,L - Turn		1-5	1-2	3-5	1-2	3-5	1-5		1-5	
Jung	1224LEUDE	3-100W	R,L,C - Touch	1	2-5	1-2	3-5	1-2	3-5	1-5		1-5	
Jung	1730DD	3-60W	R,L,C - Turn	1	2-5	1-5		1-5		1-5		1-5	
Jung	225NVDE	3-100W	R,L - Turn	1	2-5	1-2*	3-5	1-2*	3-5				
Klemko	890300	1-100W	C - Module							1		1	
Klemko	891042	1-200W	R,C - Turn		1-5	1-2	3-5	1-2	3-5				
KlikAanKlikUit	ACC-250-LD	3-50W	Socket - Wireless			1		1					
KlikAanKlikUit	AWMD-250	3-24W	Module - Wireless										
KlikAanKlikUit	ACM-250-LD	3-50W	Wireless			1		1					
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire		1-5			1-5		1-7		1-7	
Niko	310-02800	2-100W	R,C - Touch 3-wire							1-10		1-10	
Niko	310-02900	3-200W	Touch							1-10		1-10	
Niko	330-0070X	5-200W	DIN rail							1-10			
Niko	550-0034X	2 x 5-200W	DIN module							1-10			
Tradim	2485H	3-70W	R,C - Turn		1-5		1-5		1-5		1-5		1-5
Tradim	2490HP	5-70W	R,C - Turn	1*	2-5	1-2*	3-5	1-2*	3-5	1-5		1-5	
Tradim	2494	2 x 3-50W	R,C - Turn (duo)							1-2		1-2	
Tradim	63103X-1	1x27W	Floor		1-5		1-5		1-5		1-2	1-2	
Yokis	MTV500E	5-250W	Module		1-5		1-5		1-5		1-5	1-5	
Yokis	MTV500M	5-250W	DIN rail		1-5		1-5		1-5		1-5	1-5	

LED Filament Wave - Long



Bailey Nr.	Description	#
80100036361	Wave A60 E27 240V 6W 2200K	1
80100036364	Wave C35 E14 240V 3W 2200K	
80100036365	Wave C35 Cosy E14 240V 3W 2200K	
80100036360	Wave G45 E27 240V 3W 2200K	2
80100039078	Wave G80 E27 240V 3W 2200K	
80100036458	Wave G95 E27 240V 3W 2200K	
80100036459	Wave G125 E27 240V 3W 2200K	
80100036362	Long ST64 E27 240V 5.8W 2200K	
80100037174	Long ST64 E27 240V 5.8W 2200K Gold	3
80100036366	Long G95 E27 240V 5.8W 2200K	
80100036367	Long G125 E27 240V 8.3W 2200K	4

				Wave		Long	
							
				1	2	3	4
Brand	Model	Load (LED)	Type	6W	3W	5.8W	8.3W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn				
Busch-Jaeger	6526U	2-100W	R,L,C - Touch	1-7	1-7	1-7	1-7
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-5	1-5	1-5	
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-7	1-7	1-7	1-7
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-7	1-7	1-7	1-7
Gira	238500	3-100W	R,L,C - Touch	1-5	1-5	1-5	1-2
Gira	239000**	3-100W	R - Touch	1-7			1-7
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5	
Honeywell Peha	00260623	6-60W	R,L - Turn	1	2-5	1-5	
Jung	1224LEDUDE	3-100W	R,L,C - Touch	1-7	1	2-7	1-7
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	
Klemko	890300	1-100W	C - Module				
Klemko	891042	1-200W	R,C - Turn	1	2-5	1	2-5
KlikAanKlikUit	ACC-250-LD	3-50W	Socket - Wireless				
KlikAanKlikUit	AWMD-250	3-24W	Module - Wireless				
KlikAanKlikUit	ACM-250-LD	3-50W	Wireless				
Max4Tech	420SL	0-200W	R,L,C - 3-wire	1-7	1-7	1-7	1-7
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-10	1-10	1-5	1-4
Niko	310-02800	2-100W	R,C - Touch 3-wire	1-10	1-10		
Niko	310-02900	3-200W	Touch	1-10			
Niko	330-0070X	5-200W	DIN rail	1-10	1-10		
Niko	550-0034X	2 x 5-200W	DIN module	1-10	1-10		
Tradim	2485H	3-70W	R,C - Turn	1-5	1-5	1-5	
Tradim	2490HP	5-70W	R,C - Turn	1	2-5	1	2-5
Tradim	2494	2 x 3-50W	R,C - Turn (duo)	1-6*			
Tradim	6220X	1x19W	Cord				
Tradim	63103X-1	1x27W	Floor	1-5	1-5	1-5	1-3
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	

	Good compatibility (no flicker, no noise) and can reach low dim levels ($\leq 20\%$)
	Good compatibility in combination with dim stabilizer or compensator.
	Limited dimming range but stable behavior. * only in combination with dim stabilizer.
	Not compatible, possible flicker, noise and/or unstable behavior.
	Lamps not tested with dimmer.

General Notes	Possible light flickering may occur on low light levels. Dimming behaviour can be improved by using a dim stabilizer or compensator. Without this the lamp may have a limited dimming range or will be unstable.
**	Dimmer is discontinued (no longer available).
1-7	Minimum and maximum number of lamps this dimmer can control.

LED Filament Pine



Bailey Nr.	Description	#
80100040600	Pine G95 E27 3W 2200K Gold	1
80100040601	Pine G125 E27 3W 2200K Gold	
80100041298	Pine G125 E27 5W 2200K Argent	2
80100040602	Pine Cone E27 4W 2200K Gold	3



Brand	Model	Load (LED)	Type	3W	5W	4W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn		1-3	
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-2	3-5	2
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-3	1-3	1-3
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-3	1-3	1-3
Gira	226200**	3-100W	R,L - Turn			
Gira	238500	3-100W	R,L,C - Touch	1	2-5	1
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5
Honeywell Peha	00260623	6-60W	R,L - Turn	1	2-5	1
Jung	1224LEUDE	3-100W	R,L,C - Touch	1	2-5	1
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5
Jung	225NVDE	3-100W	R,L - Turn			
Klemko	891042	1-200W	R,C - Turn	1	2-5	1
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5	1-3	1-5
Tradim	2485H	3-70W	R,C - Turn	1-5	1-3	1-5
Tradim	2490HP	5-70W	R,C - Turn	1	2-5	1
Tradim	63103X-1	1x27W	Floor	1-5	1-5	1-5
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5

Spiraled Plus - BottLed - Silhouette



Bailey Nr.	Description	#
80100040763	Plus BE90 E27 12W 2200K Clear	1
80100040802	Plus A110 E40 15W 2200K Clear	
80100040758	BottLed Slim E27 7W Green	
80100040759	BottLed Slim E27 7W Blue	
80100040760	BottLed Slim E27 7W Black	2
80100040761	BottLed Slim E27 7W Yellow	
80100040762	BottLed Slim E27 7W Pink	
80100040300	Silhouette Bulb E27 8W 2200K	
80100040301	Silhouette Globe E27 8W 2200K	
80100040302	Silhouette Heart E27 8W 2200K	3
80100040701	Silhouette Crocus E14 8W 2200K	
80100040702	Silhouette Lily E27 8W 2200K	
80100040303	Silhouette Tulip E27 12W 2200K	
80100040304	Silhouette Flower E27 12W 2200K	
80100040704	Silhouette Hyacinth E27 12W 2200K	4
80100040705	Silhouette Iris E27 12W 2200K	









Brand	Model	Load (LED)	Type	12W	15W	7W	8W	12W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn	1-3	1-3	1-3	1-3	
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-3	1-3	1-5	1-3	1-3
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-3	1-3	1-3	1-3	1-3
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-3	1-3	1-3	1-3	1-3
Gira	226200**	3-100W	R,L - Turn					
Gira	238500	3-100W	R,L,C - Touch		1-3			
Gira	245500	3-200W	Uni. Led - Turn	1-3	1-3	1-5	1-3	1-3
Honeywell Peha	00260623	6-60W	R,L - Turn		1-3		1-3	
Jung	1224LEUDE	3-100W	R,L,C - Touch	1-3	1-3	1-5	1-3	1-3
Jung	1730DD	3-60W	R,L,C - Turn	1-3	1-3	1-5	1-3	1-3
Klemko	891042	1-200W	R,C - Turn	1-3	1-3	1-5	1-3	1-3
KlikAanKlikUit	ACC-250-LD	3-50W	Socket - Wireless				1	
KlikAanKlikUit	AWMD-250	3-24W	Module - Wireless					
KlikAanKlikUit	ACM-250-LD	3-50W	Wireless				1	
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-3	1-3	1-5	1-3	1-3
Tradim	2485H	3-70W	R,C - Turn	1-3	1-3	1-5	1-3	1-3
Tradim	2490HP	5-70W	R,C - Turn		1-3	1-5	1-3	1-3
Tradim	63103X-1	1x27W	Floor	1-3	1-3	1-5	1-3	1-3
Yokis	MTV500E	5-250W	Module	1-3	1-3	1-5	1-3	1-3
Yokis	MTV500M	5-250W	DIN rail	1-3	1-3	1-5	1-3	1-3

LED PAR11 / PAR16 GU10






Bailey Nr.	Description	#
80100041300	Ecobasic LED PAR11 GU10 3W 3000K 38D	1
80100041301	Ecobasic LED PAR11 GU10 3W 4000K 38D	1
80100041661	Ecobasic LED PAR16 GU10 6.5W 3000K 38D	2
80100040408	BaiSpot PAR16 GU10 5W 3000K 15D CRI90	3
80100040596	BaiSpot PAR16 GU10 5W 3000K 26D Glass	4
80100041606	PAR16 GU10 7W 3000K 30D Alu Dimm	5
142638	PAR16 GU10 240V 6W/927 24D	6

				Ecobasic PAR11 - PAR16		BaiSpot GU10					
											
Brand	Model	Load (LED)	Type	3W	6.5W	5W	5W	5W	6W		
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn	1-3	1-3	1-3	1-3				
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-5	1-5	1-5	1-5	1-5	1-3		
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-3	1-3	1-3	1-7	1-3	1-3		
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-3	1-3	1-3	1-7	1-3	1-3		
Gira	226200**	3-100W	R,L - Turn	1-3*							
Gira	238500	3-100W	R,L,C - Touch	1-5	1-5	1-5	1-5	1-5	1		
Gira	245500	3-200W	Uni. Led - Turn	1	2-5	1-5	1-5	1-5	1-3		
Honeywell Peha	00260623	6-60W	R,L - Turn	1-5		1-5	1-5		1-3		
Jung	1224LEDUDE	3-100W	R,L,C - Touch	1-5	1-5	1-5	1-5	1-5	1		
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5	1-5	1-5	1-3		
Jung	225NVDE	3-100W	R,L - Turn								
Klemko	891042	1-200W	R,C - Turn	1-3*	1-5	1	2-5	1-5	1-3		
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-3	1-5	1-5	1-7	1-5	1-3		
Tradim	2485H	3-70W	R,C - Turn	1-5	1-5	1-5	1-5	1-5	1-3		
Tradim	2490HP	5-70W	R,C - Turn	1-3	1-3	1-2	3-5	1-10	1-3		
Tradim	2494	2 x 3-50W	R,C - Turn (duo)				1-10				
Tradim	63103X-1	1x27W	Floor	1-5	1	2-5	1-5	1-10	1-3		
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5	1-5	1-3		
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5	1-5	1-3		

BaiSpot LED Reflector R50 - R63 - R80



Bailey Nr.	Description	#
141861	R50 E14 240V 5W/830 FR	1
80100040925	R63 E27 220-240V 7W/830 FR	2
80100040568	R80 E27 220-240V 9W/830 FR	3

				R50	R63	R80
						
Brand	Model	Load (LED)	Type	5W	7W	9W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn		1-3	1-3
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-5	1-5	1-5
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-5	1-3	1-3
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-5	1-3	1-3
Gira	226200**	3-100W	R,L - Turn			
Gira	238500	3-100W	R,L,C - Touch	1-5	1-5	1-5
Gira	245500	3-200W	Uni. Led - Turn	1-5	1-5	1-5
Honeywell Peha	00260623	6-60W	R,L - Turn		1-5	1-5
Jung	1224LEDUDE	3-100W	R,L,C - Touch	1-5	1-5	1-5
Jung	1730DD	3-60W	R,L,C - Turn	1-5	1-5	1-5
Jung	225NVDE	3-100W	R,L - Turn			
Klemko	891042	1-200W	R,C - Turn	1-5	1	2-5
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-5	1-3	1-5
Tradim	2485H	3-70W	R,C - Turn	1	2-5	1-5
Tradim	2490HP	5-70W	R,C - Turn	1-5	1-5	1-5
Tradim	63103X-1	1x27W	Floor	1-5	1	1-5
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5

BaiSpot LED PAR20 - PAR30 - PAR38



Bailey Nr.	Description	#
80100039963	PAR20 240V E27 7W 3000K 40D Alu IP65	1
80100039964	PAR30 240V E27 13W 3000K 40D Alu IP65	2
80100041353	PAR30 240V E27 13W 4000K 40D Alu IP65	
80100039965	PAR38 240V E27 18W 3000K 40D Alu IP65	3
80100041354	PAR38 240V E27 18W 4000K 40D Alu IP65	
80100037383	PAR38 230V E27 18W 2700K 100D	4

Brand	Model	Load (LED)	Type	PAR20	PAR30	PAR38	PAR38 100°
				7W	13W	18W	18W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn	1-3			1-2* 3-5
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-5	1-5	1-5	1-5
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire		1-3		1-5
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire		1-3		1-5
Gira	226200**	3-100W	R,L - Turn				
Gira	238500	3-100W	R,L,C - Touch	1-3	1-5	1-5	1-5
Gira	239000**	3-100W	R - Touch				1-7
Gira	245500	3-200W	Uni. Led - Turn		1-5	1-5	1-5
Honeywell Peha	00260623	6-60W	R,L - Turn				1-5
Jung	1224LEUDE	3-100W	R,L,C - Touch		1-5*	1-5	1-5
Jung	1730DD	3-60W	R,L,C - Turn		1-5	1-5	1-5
Jung	225NVDE	3-100W	R,L - Turn				
Klemko	891042	1-200W	R,C - Turn		1-5	1-3	1-5
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire			1-5	1-5
Tradim	2485H	3-70W	R,C - Turn	1-5	1-5	1-5	1-5
Tradim	2490HP	5-70W	R,C - Turn		1-5	1-5	
Tradim	2494	2 x 3-50W	R,C - Turn (duo)			1-5	
Tradim	63103X-1	1x27W	Floor	1	1-5	1-5	1-5
Yokis	MTV500E	5-250W	Module	1-5	1-5	1-5	1-5
Yokis	MTV500M	5-250W	DIN rail	1-5	1-5	1-5	1-5



Bailey Nr.	Description	#
142639	PAR16 E27 240V 6W/927 36D	1
142640	PAR20 E27 240V 6W/927 36D	2
142641	PAR30 E27 240V 15W/927 25D	3
142642	PAR38 E27 240V 18W/927 25D	4

Brand	Model	Load (LED)	Type	PAR16	PAR20	PAR30	PAR38
				6W	6W	15W	18W
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn		1-3	1-3	1-3
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-3	1-3	1-3	1-3
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-3	1-3	1-3	1-3
Gira	238500	3-100W	R,L,C - Touch	1-3	1-3	1-3	1-3
Gira	245500	3-200W	Uni. Led - Turn	1-3	1-3	1-3	1-3
Honeywell Peha	00260623	6-60W	R,L - Turn	1-3	1-3	1 2-3	1-3
Jung	1224LEUDE	3-100W	R,L,C - Touch	1-3	1-3	1-3	1-3
Jung	1730DD	3-60W	R,L,C - Turn	1-3	1-3	1-3	1-3
Klemko	891042	1-200W	R,C - Turn	1-3	1-3	1-3	1-3
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-3	1-3	1-3	1-3
Tradim	2485H	3-70W	R,C - Turn	1-3	1-3	1-3	1-3
Tradim	2490HP	5-70W	R,C - Turn	1-3*	1-3		
Tradim	63103X-1	1x27W	Floor	1-3	1-3	1-3	1-3
Yokis	MTV500E	5-250W	Module	1-3	1-3	1-3	1-3
Yokis	MTV500M	5-250W	DIN rail	1-3	1-3	1-3	1-3

BaiSpot LED AR70 - AR111



Bailey Nr.	Description	#
80100038364	AR70 Ba15d 7W/927 40D w/dimm. driver	1
80100036876	AR111 GU10 220-240V 12W/827 24D	2
80100036877	AR111 GU10 220-240V 12W/827 40D	
80100036878	AR111 GU10 220-240V 12W/840 24D	
80100036879	AR111 GU10 220-240V 12W/840 40D	
80100036872	AR111 GU10 220-240V 15W/927 24D	
80100036873	AR111 GU10 220-240V 15W/927 40D	
80100036874	AR111 GU10 220-240V 15W/940 24D	
80100036875	AR111 GU10 220-240V 15W/940 40D	
142644	AR111 GU10 240V 12.5W/927 40D	3



Brand	Model	Load (LED)	Type	1		2		
				7W	12W	15W	12.5W	
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1	1-5	1-5	1-3	
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire		1-7	1-7	1-3	
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire		1-7	1-7	1-3	
Gira	238500	3-100W	R,L,C - Touch	1	1	2-5	1-5	1
Gira	245500	3-200W	Uni. Led - Turn	1	1-5	1-5	1-3	2-3
Honeywell Peha	00260623	6-60W	R,L - Turn	1	1-5	1	2-5	1-3
Jung	1224LEDUDE	3-100W	R,L,C - Touch	1	1-5	1	2-5	1-3
Jung	1730DD	3-60W	R,L,C - Turn	1	1-5	1	2-5	1-3
Jung	225NVDE	3-100W	R,L - Turn	1				
Klemko	891042	1-200W	R,C - Turn	1	1-5	1-2	3-5	1-3
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1	1-7	1-7	1-3	
Tradim	2485H	3-70W	R,C - Turn	1	1-5	1-5	1-3	
Tradim	2490HP	5-70W	R,C - Turn	1	1	2-5		1
Tradim	63103X-1	1x27W	Floor	1	1-5	1-5	1-3	2-3
Yokis	MTV500E	5-250W	Module		1-5	1-5	1-3	
Yokis	MTV500M	5-250W	DIN rail		1-5	1-5	1-3	

LED R7s



Bailey Nr.	Description	#
80100040565	R7s 22X78 240V 5W 3000K 360D	1
80100040566	R7s 22X118 240V 10W 3000K 360D	
80100038760	R7s 22X189 100-240V 15W 3000K 360D	
80100038761	R7s 22X189 100-240V 15W 4000K 360D	
80100040695	R7s 28X118 240V 12W 3000K 300D	2
80100033322	R7s 51X117 220-240V 8.5W WW	3
80100033323	R7s 51X117 220-240V 8.5W DL	
80100033324	R7s 51X189 230V 13.5W WW	
80100033325	R7s 51X189 230V 13.5W DL	
142580	R7s 28X78 240V 6W 2700K 360D	4
142581	R7s 28X78 240V 6W 4000K 360D	
142582	R7s 28X118 240V 12W 2700K 360D	5
142583	R7s 28X118 240V 12W 4000K 360D	



Brand	Model	Load (LED)	Type	5W	10W	15W	12	8.5W	13.5W	6W	12W
Busch-Jaeger	6523U**	2-100W	R,L,C - Turn	1	1*	1-7	1				
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn			1-3	1-3		1-3	1-3	1-3
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire					1-7	1-7	1-3	1-3
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire					1-7	1-7	1-3	1-3
Gira	238500	3-100W	R,L,C - Touch	1-3	1-3	1-3	1-3		1-3	1-3	1-3
Gira	245500	3-200W	Uni. Led - Turn	1-3*	1-3	1-3	1-3	1-3	1-3	1-3	1-3
Honeywell Peha	00260623	6-60W	R,L - Turn		1-3	1-3	1-3		1-3	1-3	1-3
Jung	1224LEDUDE	3-100W	R,L,C - Touch	1-3	1-3	1-3	1-3		1-3	1-3	1-3
Jung	1730DD	3-60W	R,L,C - Turn	1-3	1-3	1-3	1-3	1-3	1-3	1-3	1-3
Klemko	891042	1-200W	R,C - Turn					1-3	1-3	1-3	1-3
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-3	1-3	1-3	1-3	1-3	1	1-3	1-3
Tradim	2485H	3-70W	R,C - Turn	1-3				1-3	1-3	1-3	1-3
Tradim	2490HP	5-70W	R,C - Turn					1-3	1-3	1-3	1-3
Tradim	63103X-1	1x27W	Floor	1-3	1-3	1-3	1-3	1-3	1-3	1-3	1-3
Yokis	MTV500E	5-250W	Module							1-3	1-3
Yokis	MTV500M	5-250W	DIN rail							1-3	1-3

LED Compact



Bailey Nr.	Description	#
80100041666	E27 T28X110 240V 10W 3000K CL	1



Brand	Model	Load (LED)	Type	10W
Busch-Jaeger	6523U-102	2-100W	R,L,C - Turn	1-3
Eltako	EUD61NPN	400W	R,L,C - Pulse 3-wire	1-3
Eltako	FUD61NPN	100W	R,L,C - Pulse 3-wire	1-3
Gira	238500	3-100W	R,L,C - Touch	1-3
Gira	245500	3-200W	Uni. Led - Turn	1-3
Honeywell Peha	00260623	6-60W	R,L - Turn	1-3
Jung	1224LEUDE	3-100W	R,L,C - Touch	1-3
Jung	1730DD	3-60W	R,L,C - Turn	1-3
Klemko	891042	1-200W	R,C - Turn	1-3
Niko	310-0190X	5-200W	R,L,C - Turn 3-wire	1-3
Tradim	2485H	3-70W	R,C - Turn	1-3
Tradim	2490HP	5-70W	R,C - Turn	1-3
Tradim	63103X-1	1x27W	Floor	1-3

	Good compatibility (no flicker, no noise) and can reach low dim levels ($\leq 20\%$)
	Good compatibility in combination with dim stabilizer or compensator.
	Limited dimming range but stable behavior. * only in combination with dim stabilizer.
	Not compatible, possible flicker, noise and/or unstable behavior.
	Lamps not tested with dimmer.

General Notes	Possible light flickering may occur on low light levels. Dimming behaviour can be improved by using a dim stabilizer or compensator. Without this the lamp may have a limited dimming range or will be unstable.
**	Dimmer is discontinued (no longer available).
1-7	Minimum and maximum number of lamps this dimmer can control.

LED lamps and Dimmer Compatibility

General: A LED lamp is an electronic, low wattage device which makes it essentially different from incandescent or halogen lamps. Consequently the dimmable effects are not 100% comparable. Due to the enormous variety of dimmers in the market and difference in quality, it is impossible to give an general advice on which dimmer to use for LED lamps. 100% compatibility can never be guaranteed. Depending on the dimmer occurring effects may include noise, flickering and different peaks in light output.

Other external factors that may influence the dimming effects are:

- Other electrical appliances are connected on the same electrical circuit
- Total wattage exceeds the allowed dimmer load
- Total wattage is below minimum load of the dimmer
- Too many lamps on 1 dimmer

- Use of different item numbers on one dimmer is not recommended

Bailey has carefully tested a series of dimmers in combination with the Bailey dimmable Led lamps. the results you will find in our dimming list. The testing of dimmers is a continuous process and therefore the list is updated on a regular basis. The absence of a certain dimmer on the list does not mean it is incompatible, it only means we have not tested it yet. The tests are conducted in a testing environment and consequently the results in different fields of application may differ due to various factors. Bailey cannot be held responsible or liable for the results. In general best dimming results are obtained with trailing edge dimmer types (sometimes with neutral wire for installation). Please carefully follow the dimmer manufacturer's installation instructions and guidelines.